



Printing date 14.06.2021 Version number 1 Revision: 14.06.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Product identifier
- Trade name: DC Härterflüssigkeit
- Application of the substance / the mixture Hardener for impression material, medical device.
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Manufacturer:Exclusive distribution:Müller-Omicron GmbH & Co. KGDC DentalCentral GmbHSchlosserstr. 1Owiedenfeldstr. 6D-51789 LindlarD - 30559 Hannover

- Further information obtainable from:

Product safety department sds@mueller-omicron.de

- 1.4 Emergency telephone number:

Emergency CONTACT (24-Hour-Number):GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

STOT SE 2 H371 May cause damage to the immune system. Route of exposure: Oral.

STOT RE 2 H373 May cause damage to the blood through prolonged or repeated exposure.

Route of exposure: Oral.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms





GHS07 GHS08

- Signal word Warning
- Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing date 14.06.2021 Version number 1 Revision: 14.06.2021

Trade name: DC Härterflüssigkeit

(Contd. of page 1)

H371 May cause damage to the immune system. Route of exposure: Oral.

H373 May cause damage to the blood through prolonged or repeated exposure. Route of exposure:

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- 2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

- Dangerous components:			
	Tetrakis(2-butoxyethoxy)silane (CAS 18765-38-3)	50-100%	
	🕸 STOT RE 2, H373; 🕦 Skin Irrit. 2, H315		
EINECS: 222-883-3	Dioctylzinndilaurat (CAS 3648-18-8)	10-25%	
	♦ STOT SE 2, H371		
	Dioctylzinnacetylacetonat (CAS 54068-28-9)	10-25%	
	🕸 STOT SE 2, H371; 🕦 Skin Sens. 1, H317		
CAS: 78-10-4	tetraethyl silicate	<i>≤</i> 2.5%	
EINECS: 201-083-8 Index number: 014-005-00-0	♦ Flam. Liq. 3, H226; ♦ Acute Tox. 4, H332; Eye Irrit. 2, H319; STOT SE 3, H335		
	Aroma Gemisch	≥0.1-<0.25%	
	Flam. Liq. 3, H226; Sap. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317		

- SVHC

Dioctylzinndilaurat (CAS 3648-18-8)

- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

Printing date 14.06.2021 Version number 1 Revision: 14.06.2021

Trade name: DC Härterflüssigkeit

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed**No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **5.2 Special hazards arising from the substance or mixture**During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** *Mount respiratory protective device.*
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire and explosion protection: Keep respiratory protective device available.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:

78-10-4 tetraethyl silicate

IOELV Long-term value: 44 mg/m³, 5 ppm

- Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date 14.06.2021 Version number 1 Revision: 14.06.2021

Trade name: DC Härterflüssigkeit

(Contd. of page 3)

- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- Respiratory protection:

In case of intensive or longer exposure use self-contained respiratory protective device.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- Appearance:

Form: Fluid
Colour: Red

- Odour: Characteristic - Odour threshold: Not determined.

- pH-value: Not determined.

- Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined.

- Flash point: >70 °C

- Flammability (solid, gas): Not applicable.

- Ignition temperature: Not determined.

- **Decomposition temperature:** Not determined.

(Contd. on page 5)

Printing date 14.06.2021 Version number 1 Revision: 14.06.2021

Trade name: DC Härterflüssigkeit

	(Contd. of page 4	
- Auto-ignition temperature:	Product is not selfigniting.	
- Explosive properties:	Product does not present an explosion hazard.	
- Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
- Vapour pressure:	Not determined.	
- Density at 20 °C:	1 g/cm³	
- Relative density	Not determined.	
- Vapour density	Not determined.	
- Evaporation rate	Not determined.	
- Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
- Partition coefficient: n-octanol/water:	Not determined.	
- Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
- Solvent content:		
VOC (EC)	0.00 %	
Solids content:	0.0 %	
- 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met

- Acute t	oxicity	based on available data, the classification chiena are not met.		
- LD/LC5	0 valu	es relevant for classification:		
	•	toxyethoxy)silane (CAS 18765-38-3)		
Oral	LD50	>2,000 mg/kg (rat)		
Dermal	LD50	>2,000 mg/kg (rat)		
Dioctylzinndilaurat (CAS 3648-18-8)				
		6,450 mg/kg (rat)		
Dioctyl	Dioctylzinnacetylacetonat (CAS 54068-28-9)			
Oral	LD50	2,500 mg/kg (rat)		
Dermal	LD50	>2,000 mg/kg (rat)		
D	- ::4	nt offort.		

- Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

(Contd. on page 6)

Printing date 14.06.2021 Version number 1 Revision: 14.06.2021

Trade name: DC Härterflüssigkeit

(Contd. of page 5)

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause damage to the immune system. Route of exposure: Oral.

- STOT-repeated exposure
- May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Oral.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

- 14.1 UN-Number		
- ADR, IMDG, IATA	Void	
- 14.2 UN proper shipping name		
- ADR, IMDG, IATA	Void	
- 14.3 Transport hazard class(es)		
- ADR, ADN, IMDG, IATA		
- Class	Void	
- 14.4 Packing group		
- ADR, IMDG, IATA	Void	

(Contd. on page 7)

Printing date 14.06.2021 Version number 1 Revision: 14.06.2021

Trade name: DC Härterflüssigkeit

(Contd. of page 6)

- 14.6 Special precautions for user
Not applicable.

- 14.7 Transport in bulk according to Annex II
of Marpol and the IBC Code
Not applicable.

- UN "Model Regulation":
Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

- Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- National regulations:
- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57

Dioctylzinndilaurat (CAS 3648-18-8)

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H371 May cause damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- Contact: sds@mueller-omicron.de

- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 8)

(Contd. of page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.06.2021 Version number 1 Revision: 14.06.2021

Trade name: DC Härterflüssigkeit

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 2: Specific target organ toxicity (single exposure) - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Sources

The data for the hazardous ingredients were taken respectively from the last version of Safety Data Sheets of suppliers.

- * Data compared to the previous version altered.